







## Portable Work Light

便携式工作灯







**Applicable batteries: Makita, Dewalt, Milwaukee, Bosch, Black & Decker, Ryobi, Craftsman, etc.**

No.	Picture	Model	Power	Iuput Voltage	Lumino us flux	Color tempera ture	Lighting angle (°)	Dimmab ility
1		ULE01	18W	14-21V	1600-2000LM	5500-6500K	170	YES
		<b>Other Description</b>		With magnetic base, it can be firmly attached to metal surface;Adjustable lighting angle;With handle, portable.				
2		ULE02	10W	14-21V	1200LM	5500-6500K	170	NO
		<b>Other Description</b>		Different brands of battery bases can be configured according to requirements,Adjustable lighting angle.				
3		ULE03-1	20W	14-21V	3000LM	5500-6500K	170	YES
		<b>Other Description</b>		Multi-brand battery base can be replaced at will;With magnetic base, it can be firmly attached to metal surface;Adjustable lighting angle.				
4		ULE03-2	20W	14-21V	3000LM	5500-6500K	170	YES
		<b>Other Description</b>		Multi-brand battery base can be replaced at will;With magnetic base, it can be firmly attached to metal surface;Adjustable lighting angle.				
5		ULE04-1	20W	14-21V	2500-3000LM	5500-6500K	170	YES
		<b>Other Description</b>		1*Battery interface,Multi-brand battery base can be replaced at will;Adjustable lighting angle;With handle, portable.				
6		ULE04-2	20W	14-21V	2500-3000LM	5500-6500K	170	YES
		<b>Other Description</b>		2*Battery interface,Multi-brand battery base can be replaced at will;Adjustable lighting angle;With handle, portable				

## Portable Work Light

便携式工作灯



**Applicable batteries: Makita, Dewalt, Milwaukee, Bosch, Black & Decker, Ryobi, Craftsman, etc.**

No.	Picture	Model	Power	Iuput Voltage	Lumino us flux	Color tempera ture	Lighting angle (°)	Dimmab ility
7		ULE05	18W	14-21V	2000-2500LM	5500-6500K	170	YES
		<b>Other Description</b>		Different brands of battery bases can be configured according to requirements; Adjustable lighting angle.				
8		ULE09	8W	14-21V	300LM	4000-6500K	170	YES
		<b>Other Description</b>		Different brands of battery bases can be configured according to requirements, Bendable universal lamp.				
9		ULE10	8W	14-21V	900LM	5500-6500K	170	YES
		<b>Other Description</b>		Different brands of battery bases can be configured according to requirements, Adjustable lighting angle.				
10		ULE11	16W	14-21V	1800LM	5500-6500K	170	YES
		<b>Other Description</b>		Different brands of battery bases can be configured according to requirements, Adjustable lighting angle.				
11		ULE12	16W	14-21V	1800LM	5500-6500K	170	YES
		<b>Other Description</b>		Different brands of battery bases can be configured according to requirements, Adjustable lighting angle.				
12		ULE12	5.5W	10.8V	900LM	3500-6000K	360	YES
		<b>Other Description</b>		Courtyard lamp, portable and hanging, compatible with Makita 10.8V Li-ion battery.				

**Portable Work Light**

便携式工作灯

**Applicable batteries: Makita, Dewalt, Milwaukee, Bosch, Black & Decker, Ryobi, Craftsman, etc.**

No.	Picture	Model	Power	Iuput Voltage	Lumino us flux	Color tempera ture	Lighting angle (°)	Dimmab ility
13		ULE13	5.5W	12V	900LM	3500-6000K	360	YES
		<b>Other Description</b>		Courtyard lamp, portable and hanging, compatible with Milwaukee 12V Li-ion battery.				
14		ULE13	5.5W	12V	900LM	3500-6000K	360	YES
		<b>Other Description</b>		Courtyard lamp, portable and hanging, compatible with Bosch 12V Li-ion battery.				